

# The **ACT** Course Book

MATHEMATICS & SCIENCE

Instructor's Edition

SAMPLE

Focusing on the Individual Student



## **Copyright Statement**

The ACT Course Book, along with all Summit Educational Group Course Materials, is protected by copyright. Under no circumstances may any Summit materials be reproduced, distributed, published, or licensed by any means.

Summit Educational Group reserves the right to refuse to sell materials to any individual, school, district, or organization that fails to comply with our copyright policies.

Third party materials used to supplement Summit Course Materials are subject to copyright protection vested in their respective publishers. These materials are likewise not reproducible under any circumstances.

## **Ownership of Trademarks**

Summit Educational Group is the owner of the trademarks "Summit Educational Group" and the pictured Summit logo, as well as other marks that the Company may seek to use and protect from time to time in the ordinary course of business.

ACT is a trademark of ACT, Inc.

All other trademarks referenced are the property of their respective owners.

---

# CONTENTS

## TEST-TAKING FUNDAMENTALS

About the ACT	2
Your Commitment	3
ACT Structure	4
Content	5
Scoring	6
Knowing Your Limits	8

## MATH OVERVIEW

The Mathematics Test	12
Format	14
Question Difficulty	15
Working Through the Math Test	16
Attractors	17
Setting Your Goal	18
Problem-Solving Tools	20
Plugging In	22
Choosing Numbers	24
Guesstimating	26
Bridging the Gap	28
Using Your Calculator	30

## INTEGRATING ESSENTIAL SKILLS

Multiples, Factors, & Divisibility	36
Fractions	38
Ratios	40
Proportions	42
Digits & Place Value	44
Percents	46
Charts & Graphs	50

Number & Quantity Foundations	56
Algebra Foundations	60
Geometry Foundations – $xy$ -Plane	64
Geometry Foundations – Angles	68
Geometry Foundations – Triangles	72
Geometry Foundations – Area & Volume	76
Statistics & Probability Foundations	80

Integrating Essential Skills Practice	87
---------------------------------------	----

## NUMBER & QUANTITY

Number Properties	106
Imaginary & Complex Numbers	108
Translation	112
Matrices	116
Vectors	118
Number & Quantity Practice	123

## ALGEBRA

Exponents	130
Roots	132
Algebraic Expressions	134
Equations	136
Graphs of Linear Equations	138
Inequalities	140
Graphs of Inequalities	142
Systems of Equations	144
Quadratic Equations & Expressions	148
Polynomials	150
Algebra Practice	157

## GEOMETRY

Vocabulary	170
Similar & Congruent Triangles	172
Right Triangles	174
SOH CAH TOA	176
Midpoint & Distance	178
Transformations	180
Conic Sections	182
Geometry Practice	189

## FUNCTIONS

Functions	200
Graphs of Functions	204
Trigonometry Identities	208
Laws of Sines & Cosines	212
The Unit Circle	214
Graphs of Sine & Cosine	218
Sequences	220
Logarithms	222
Functions Practice	227

## STATISTICS & PROBABILITY

Averages	240
Combinations & Permutations	242
Probability	244
Statistics & Probability Practice	249

## SCIENCE OVERVIEW

The Science Test	254
Format and Scoring	255
Attractors	256
Setting Your Goal	258
Working Through the Science Test	260
General Tips	261

## SCIENCE

The Scientific Method	264
Data Representation Overview	266
Interpretation	268
Relationship	272
Additional Data	276
Connection	280
Research Summary Overview	284
Data	286
Experimental Design	288
Evaluation	292
Conflicting Viewpoints Overview	298
Detail	300
Perspective	302
Assessment	306
Science Foundations	312
Science Practice	317

## ANSWER KEY

365

## Guesstimating

- Most figures on the ACT are drawn to scale. Therefore, a viable strategy for many geometry questions is to use the figure to guide your reasoning or narrow down answer choices.


Note that the ACT states that you should assume “illustrative figures are NOT necessarily drawn to scale.” Usually, figures not drawn to scale will have a disclaimer stating so.

- Guesstimate on figures by comparing unknown values to known values. Use your answer sheet or pencil as a “ruler.”

In the figure below, ~~if  $\overline{AB}$  is a diameter of the circle and the circle has a diameter of 4~~, what is the length of  $\overline{BC}$ ?

A. 3  
B. 4  
C. 5  
D. 7  
E. 8

**C**




Can you eliminate answer choices logically?  
Remember, the  $90^\circ$  angle is the largest, so it must be opposite the longest side, and the longest side must be greater than the sum of the two smaller sides

- Draw  $90^\circ$  and  $45^\circ$  angles to help you guesstimate angle measures.

Guesstimate the measure of the angle below.

$x = \underline{\sim 30}$



- Know the following approximations to help you guesstimate lengths.

$$\sqrt{2} \approx 1.4$$


$$\sqrt{3} \approx 1.7$$

$$\pi \approx 3.1$$

### PUT IT TOGETHER

Guesstimate to solve the following:

1. In the figure below, the circle has center  $O$  and the measure of  $\widehat{MN}$  is  $120^\circ$ . What is the measure of  $\angle MNO$ ?



- A.  $30^\circ$
- B.  $40^\circ$
- C.  $45^\circ$
- D.  $60^\circ$
- E.  $80^\circ$

2. Of the 398 seniors in a certain high school, approximately 51% are in the art club. Of the seniors who are in the art club, approximately 97% paint with acrylics. Which of the following is closest to the number of seniors who paint with acrylics?

- F. 75
- G. 100
- H. 150
- J. 200
- K. 400

Guesstimate, or use geometry rules to solve.

Draw a line segment between points  $O$  and  $M$  to create  $\triangle MON$ . If arc  $MN = 120^\circ$ ,  $\angle MON = 120^\circ$ . Since legs  $OM$  and  $ON$  are both radii of the circle, it is isosceles and  $\angle N = \angle M$ . If  $\angle N = \angle M = x$ , then  $120 + 2x = 180$  and  $x = 30^\circ$ .


# Systems of Equations

0-2 per test E M H

On the ACT, simultaneous equation questions ask you to find a mutual solution for two linear equations. When simultaneous equations are graphed, the mutual solution is the point of intersection.

Some simultaneous equation questions will give the two equations and ask you to solve. Other times, the equations are hidden in a word problem, requiring you to set up the equations first and then solve.

- A system of linear equations, also called simultaneous equations, is a set of two or more equations working together. Simultaneous equations can be solved graphically and algebraically. A system of two linear equations can have no solution, 1 solution, or infinitely many solutions.



- **No Solutions** – When lines are parallel, there is no common solution. What does this mean algebraically? If we consider the slope-intercept forms of the two lines ( $y = mx + b$ ), it means that the slopes ( $m$ ) are the same and the  $y$ -intercepts ( $b$ ) are different.
- **Infinitely Many Solutions** – When lines overlap, there are infinitely many solutions. Algebraically, this means that the two lines have the same slopes ( $m$ ) and the same  $y$ -intercepts ( $b$ ).

$$\begin{aligned} 2x + y &= 5 \\ 4x + 2y &= 10 \end{aligned}$$

How many solutions does the pair of linear equations shown above have? infinite

How do you know?

Divide second equation by 2 to see they are the same line.

- ❑ **Elimination Method** – Add or subtract equations to cancel one of the variables and solve for the other. You may have to multiply an equation by some number to eliminate a variable before the equations are added or subtracted.

If  $2x + y = 16$  and  $x - 2y = 3$ , what is the value of  $x$ ?

Stack the equations:  $2x + y = 16$   
 $x - 2y = 3$

What do you need to multiply the top equation by to make the  $y$  disappear when you add the two equations? 2

Rewrite the equations and add them. Solve for  $x$ .

$$x = 7$$

- ❑ **Substitution Method** – Solve one equation for one of the variables, and then substitute that value for that variable in the other equation.

If  $2x + y = 3$  and  $-x - 3y = 6$ , what is the value of  $x$ ?

Solve the equation  $2x + y = 3$  for  $y$ :  $y = -2x + 3$

Substitute that value for  $y$  in the other equation:  $-x - 3(-2x + 3) = 6$

Solve for  $x$ .

$$x = 3$$

- ❑ **Simultaneous Equations in Word Problems** – Word problems that require you to define two variables are often simultaneous equation questions. Learn to recognize them and translate to set up the equations.

1000 tickets were sold to the Seaport Aquarium's Dolphin Show. Adult tickets cost \$10, children's tickets cost \$2, and a total of \$5200 was collected. How many adult tickets were sold?

What are your two variables? Define them.

$A$  = number of Adult tickets sold

$C$  = children tickets sold

Write an equation for the total number of tickets:  $A + C = 1000$

Write an equation for the total cost of the tickets:  $10A + 2C = 5200$

Solve the simultaneous equations for  $A$ .  $A = 400$

## PUT IT TOGETHER

1. If  $2m + 5n = 6$  and  $m + 4n = -6$ , what is the value of  $n$ ?

A. -6      $2m + 5n = 6 \rightarrow 2m + 5n = 6$   
 B. -4      $-2(m + 4n = -6) \rightarrow \frac{-2m - 8n = 12}{-3n = 18}$   
 C. 0  
 D. 2  
 E. 5

Stack equations, multiply second equation by -2, and add. Make sure to solve for  $n$  and don't waste time solving for  $m$  first!

2. At a clothing store, 6 shirts and 3 pants cost \$201, and 2 shirts and 3 pants cost \$117. What is the cost of 1 shirt?

F. \$18      $6s + 3p = 201$   
 G. \$20      $-(2s + 3p = 117)$   
 H. \$21      $\frac{4s}{4s} = 84$   
 J. \$21.50  
 K. \$22.50

Write two equations. One for "6 shirts and 3 pants cost \$210" and another for "2 shirts and 3 pants cost \$117."

3. An airplane at an altitude of 31,000 feet is ascending at a constant rate of 1,000 feet per minute. Another airplane at an altitude of 39,000 feet is descending at a constant rate of 400 feet per minute. After how many minutes, to the nearest tenth of a minute, will the two planes be at the same altitude?

A. 1.3      $A_1 = 1000t + 31000$   
 B. 5.0      $A_2 = -400t + 39000$   
 C. 5.7  
 D. 13.3      $1000t + 31000 = -400t + 39000$   
 E. 20.0      $1400t = 8000 \rightarrow t \cong 5.71$  minutes

## Evaluation

1-5 per test E M H

- ❑ Evaluation questions ask you to consider an experiment's overall results. Usually, these questions rely on your understanding of the relationships between variables.

- ❑ Evaluation questions typically appear in the following forms:

A biologist claimed that \_\_\_\_\_. Are the results from Study 1 consistent with her claim?

It was hypothesized that \_\_\_\_\_. Is this consistent with the results of Experiment 1?

Which of the following statements about \_\_\_\_\_ is supported by the results of Study 2?

- ❑ These questions may ask if the experimenter's original hypothesis was verified or not. The answers typically include two "Yes" options and two "No" options, each with different justifications.

Students in a chemistry class wanted to compare the heat energy that could be produced from peanuts, cashews, and almonds. In separate trials, a gram of each substance was burned in an insulated environment, where the energy heated a 100mL beaker of water. The students measured the maximum change in the water temperature while the samples were burnt. All trials were conducted in a room with a stable temperature of 20°C, and the water began at 20°C for each trial. In order to calculate the energy (in joules) produced by burning each sample, students used the following formula:

$$\text{joules} = \text{mass of the water} \times \text{temperature increase} \times 4.2 \text{ J}/(\text{g}^\circ\text{C})$$

	temperature increase of water (°C)	energy (joules)
almond	+ 14.9	6276
cashew	+ 19.9	8368
peanut	+ 9.96	4184

Which of the following statements are supported by the results of this study?

- A. Almonds and cashews have less oil than peanuts.
- B. Almonds produced two times the energy that peanuts produced.
- C. One gram of almonds produced less energy than two grams of peanuts.
- D. Cashews increased the water temperature by the least amount.

A student hypothesized that burning the cashew would heat the water more quickly than would burning the peanut or almond. Is this hypothesis consistent with the results of the experiment?

- F. Yes, because the water reached the highest temperature.
- G. Yes, because the cashew released the most energy when burned.
- H. No, because the cashew heated the water more slowly than the almond.
- J. No, because time was not a variable measured in this experiment.

- These questions may introduce new information about the experimental design and ask how the new information affects the results.

SAMPLE

**PUT IT TOGETHER**

Over a period of 20 years, researchers studied the water quality and animal populations of a large lake ecosystem in Connecticut. Prior to the beginning of the study, the lake had a stable pH of 6.5.


*Study 1*

Researchers conducted a study to determine the *tolerance* of animal species in the lake environment for various pH ranges in captivity. The researchers began by establishing average birthrates and life expectancies for each species in aqueous environments with a pH of 6.5, as a control value. Later, researchers conducted similar experiments, varying the pH of the environment. The birthrates and life spans of each animal type were averaged. A species with data within 80% of both the control birthrate and life expectancy was deemed “tolerant” to a given pH environment. The results of this study are shown in Table 1.

	pH tolerance					
	6.5	6.0	5.5	5.0	4.5	4.0
trout	✓	✓	✓	✓		
bass	✓	✓				
perch	✓	✓	✓	✓	✓	
frogs	✓	✓	✓	✓	✓	✓
salamanders	✓					

*Study 2*

Researchers tested the pH levels in the lake on the first day of each month for the entire 20-year study. Decreases of more than 1 pH per year were attributed to manmade pollution, while fluctuations less than this likely occurred naturally. The data from this study was used to create Figure 1.



*Study 3*

Researchers monitored the populations of two fish, trout and bass, over the course of the study. Every 3 months, researchers would spend 8 hours catching, tagging, and releasing fish within the lake. The data is shown in Figure 2 below.




Figure 2

5  
How does the data in Figure 1 relate to the data in Figure 2? What would explain the similarities?

1. A biologist stated that bass would be the only animals in the lake negatively affected if the pH dropped to 5.0. Is this consistent with the data in Table 1?
  - A. Yes, because bass are constantly immersed in water.
  - B. Yes, because all other animals are tolerant of this pH.
  - C. No, because salamanders are not tolerant of this pH.
  - D. No, because both salamanders and trout are not tolerant of this pH.
  
2. An ecology student hypothesized that, over the course of the study, there would always be a higher population of bass than trout in the lake. Does Figure 2 support this claim?
  - F. Yes, because there were always more bass caught.
  - G. Yes, because bass were more tolerant at the various pH levels.
  - H. No, because there are always more trout caught.
  - J. No, because trout surpassed bass soon after year 12.
  
3. An environmental group stated that, during the course of the study, two factories opened in the vicinity of the lake. Both operated for one calendar year before they were forced to shut down due to their negative effects upon the pH of the lake. According to Study 2, which of the following could be the years that these factories opened?
  - A. Year 3 and Year 8
  - B. Year 4 and Year 8
  - C. Year 8 and Year 11
  - D. Year 4 and Year 11
  
4. An ecologist claimed that, when a body of water drops more than 1.5 pH units over the course of a year, it takes longer for it to neutralize its pH than it does for the water to become acidic. Are the results of Study 2 consistent with this claim?
  - F. Yes, because it took less time for the pH to return to 6.5.
  - G. Yes, because it took more time for the pH to return to 6.5.
  - H. No, because it took the same amount of time.
  - J. No, because it cannot be determined from the data.
  
5. Which of the following statements about fish populations is supported by both Table 1 and Figure 2?
  - A. Bass prey upon frogs.
  - B. Perch populations recovered more quickly than bass from the most drastic pH change.
  - C. Decreased acidity harms bass and trout populations.
  - D. Increased acidity harms bass and trout populations.